

Lampiran 4

HASIL PENGUJIAN KELOMPOK A

No Urut	No Inklusi	Group	Ab Hib (ug/ml)		Aviditas (M)		Bakterisidal (TB)	
			Pre	Pos	Pre	Pos	Pre	Pos
1	1	A	0	26.9795	0	0.2	0	habis
2	6	A	0	8.0512	0	0.15	0	4
3	8	A	0.7423	6.7322	0.3	0.3	0	8
4	10	A	0	84.2241	0	0.15	0	64
5	12	A	0	2.1982	0	0.15	0	8
6	14	A	0	1.4296	0	0.3	0	32
7	17	A	0	34.6628	0	0.3	0	32
8	18	A	0	6.7404	0	0.2	0	256
9	19	A	0	16.2786	0	0.15	0	32
10	20	A	1.1339	9.8631	0.2	0.2	0	16
11	21	A	0	7.3669	0	0.3	0	16
12	23	A	0	52.2941	0	0.3	0	8
13	26	A	0	9.1249	0	0.3	0	64
14	28	A	0	12.0554	0	0.3	0	128
15	30	A	1.5711	15.6381	0.2	0.2	0	128
16	31	A	0	1.5897	0	0.3	0	16
17	32	A	0	14.9764	0	0.15	0	32
18	34	A	2.2479	0	0.2	0	0	2
19	38	A	0	16.3654	0	0.2	0	256
20	40	A	0	14.5216	0	0.2	0	4
21	42	A	0	15.5795	0	0.4	0	32
22	43	A	0	16.5817	0	0.15	0	32
23	44	A	0.6582	35.8256	0.15	0.2	0	256
24	47	A	1.1135	12.0661	0	0.2	0	8
25	50	A	1.2667	60.2476	0.05	0.15	0	64
26	51	A	0.2623	49.0391	0	0.2	0	32
27	52	A	0	15.936	0	0.3	0	8
28	55	A	0	72.1397	0	0.3	0	64
29	57	A	0	4.5364	0	0.2	0	16
30	58	A	0	4.2779	0	0.2	0	32
31	62	A	0	153.5215	0	0.3	0	128
32	63	A	0	3.1389	0	0.4	0	16
33	65	A	0	27.0507	0	0.3	0	16

34	66	A	0	98.9872	0	0.2	0	64
35	70	A	0.6153	23.1884	0.3	0.2	0	128
36	72	A	DO	DO	DO	DO	0	DO
37	74	A	0.7733	1.3523	0.2	0.2	0	128
38	75	A	0	48.1276	0	0.3	0	64
39	77	A	0	2.7418	0	0.3	0	128
40	79	A	0	34.5068	0	0.3	0	128
41	80	A	0	993.0816	0	0.3	0	256
42	84	A	0	30.2734	0	0.2	0	32
43	85	A	0	12.81425	0	0.3	0	128
44	91	A	0	33.6251	0	0.3	0	128
45	94	A	0	1.6487	0	0.1	0	128
46	95	A	0	6.6576	0	0.15	0	32
47	96	A	0.4686	1.4516	0	0.3	0	64
48	97	A	0	25.5914	0	0.3	0	64
49	98	A	0	20.6222	0	0.3	0	64
50	99	A	0	3.0859	0	0.2	habis	16
51	101	A	0	31.1727	0	0.3	0	128
52	105	A	3.7301	4.3823	0.3	0.3	0	16
53	107	A	0	0.7335	0	0.2	0	64
54	108	A	0.6934	18.3149	0.3	0.3	habis	32
55	109	A	1.0466	20.2471	0.3	0.3	0	64
56	113	A	0.7867	2.7756	0.15	0.3	0	32
57	121	A	DO	DO	DO	DO	0	DO
58	124	A	0	8.4556	0	0.2	0	64
59	125	A	0.9042	16.1206	0.3	0.2	0	32
60	126	A	1.1727	145.7672	0.3	0.15	0	16
61	127	A	0	12.999	0	0.2	0	16
62	128	A	0	1.5347	0	0.2	0	64
63	129	A	0.7069	2.9577	0	0.2	0	128
64	131	A	0	23.6395	0	0.2	0	64
65	132	A	0	6.4659	0	0.2	0	2
66	133	A	0	73.9365	0	0.3	0	64
67	134	A	0.7504	79.58	0.2	0.3	0	64
68	136	A	2.9462	11.9836	0.3	0.3	0	8
69	137	A	4.0477	7.4636	0.4	0.3	0	64
70	138	A	0	24.2054	0	0.3	0	8
71	139	A	0	4.594	0	0.2	0	128

72	144	A	DO	DO	DO	DO	0	DO
73	145	A	DO	DO	DO	DO	0	DO
74	146	A	0	1.3218	0	0.3	0	64
75	148	A	0	28.3783	0	0.3	0	32
76	151	A	0	15.5821	0	0.15	0	32
77	152	A	0	2.0306	0	0.15	0	64
78	155	A	1.2018	12.2511	0.3	0.2	0	16
79	157	A	0	52.3932	0	0.2	0	64
80	160	A	1.3914	0	0.15	0	0	0
81	163	A	0	22.5485	0	0.15	0	32
82	164	A	0.5107	35.1993	0.15	0.2	0	128
83	165	A	0	48.2711	0	0.2	0	128
84	168	A	0	30.6833	0	0.3	0	64
85	170	A	0	70.0376	0	0.15	0	64
86	171	A	1.2957	4.8351	0.2	0.4	0	2
87	173	A	0	26.9375	0	0.2	0	128
88	176	A	0	3.8756	0	0.2	0	2
89	177	A	0	3.7556	0	0.2	0	128
90	179	A	0	10.7816	0	0.2	0	16
91	182	A	0	53.278	0	0.2	0	512
92	187	A	0	12.6409	0	0.2	0	128
93	188	A	0	23.1955	0	0.2	0	256
94	189	A	0.3713	117.6162	0	0.2	0	64
95	192	A	0	0.4216	0	0.4	0	2
96	193	A	0.7476	1.1298	0.15	0.15	0	32
97	194	A	0	3.4984	0	0.4	0	8
98	195	A	0	29.3395	0	0.2	0	256
99	196	A	0	32.8382	0	0.4	0	16
100	197	A	0	19.0447	0	0.2	0	64
101	202	A	0	20.9579	0	0.3	0	256
102	207	A	0	6.5653	0	0.2	0	128
103	208	A	0.3571	6.2838	0	0.3	0	32
104	209	A	0	46.4808	0	0.2	0	16
105	212	A	0	13.2097	0	0.3	0	8
106	213	A	0	16.6659	0	0.2	0	64
107	214	A	0	2.5444	0	0.3	0	32
108	215	A	0	38.9956	0	0.3	0	64
109	216	A	1.2969	26.4436	0.4	0.15	0	256

110	217	A	0.8321	24.5249	0.3	0.2	0	256
-----	-----	---	--------	---------	-----	-----	---	-----

HASIL PENGUJIAN KELOMPOK B

No Urut	No Inklusi	Group	Ab Hib (ug/ml)		Aviditas (M)		Bakterisidal (TB)	
			Pre	Pos	Pre	Pos	Pre	Pos
1	2	B	0	0.9715	0	0.15	0	4
2	3	B	0	54.4327	0	0.2	0	8
3	4	B	0	15.8761	0	0.3	habis	32
4	5	B	0	12.7096	0	0.3	0	4
5	7	B	0.3351	28.4509	0.2	0.3	0	32
6	9	B	0	9.9909	0	0.3	0	64
7	11	B	2.2208	22.2257	0.3	0.2	0	32
8	13	B	0.9612	26.7542	0.2	0.3	0	8
9	15	B	0	10.3004	0	0.1	0	256
10	16	B	0	39.8791	0	0.3	0	32
11	22	B	3.1672	3.7174	0.3	0.3	0	4
12	24	B	0	8.4806	0	0.2	0	4
13	25	B	0	22.6025	0	0.3	0	16
14	27	B	8.8055	1.846	0.3	0.3	0	2
15	29	B	0	58.9659	0	0.2	0	32
16	33	B	0	32.4649	0	0.2	0	128
17	35	B	0	13.3937	0	0.2	0	16
18	36	B	0	10.5182	0	0.2	0	64
19	37	B	0	30.354	0	0.2	0	64
20	39	B	0	1.9468	0	0.2	0	0
21	41	B	0	33.8259	0	0.2	0	8
22	45	B	0	39.8823	0	0.4	0	16
23	46	B	1.8443	2.3335	0	0.2	0	8
24	48	B	0	11.5637	0	0.2	0	32
25	49	B	0	27.9048	0	0.2	0	64
26	53	B	0	23.5637	0	0.2	0	64
27	54	B	0	6.9156	0	0.2	0	4
28	56	B	0	1.6995	0	0.3	0	2
29	59	B	0	14.7833	0	0.3	0	64
30	60	B	0	1.7991	0	0.2	0	4

31	61	B	0	3.368	0	0.15	0	32
32	64	B	0	24.1406	0	0.1	0	4
33	67	B	0	55.4705	0	0.15	0	128
34	68	B	DO	DO	0.15	DO	DO	DO
35	69	B	0	2.1615	0	0.2	0	habis
36	71	B	0	3.2053	0	0.15	0	32
37	73	B	0.753	2.14485	0.3	0.3	0	2
38	76	B	2.0256	0.432	0.3	0	0	32
39	78	B	0.2218	4.0113	0	0.2	0	64
40	81	B	0	55.698	0	0.2	0	64
41	82	B	0	2.95925	0	0.15	0	128
42	83	B	0	1.1707	0	0.2	0	32
43	86	B	0	11.9415	0	0.2	0	32
44	87	B	0	134.2277	0	0.2	0	4
45	88	B	0	10.7993	0	0.2	0	8
46	89	B	0	3.9156	0	0.2	0	64
47	90	B	0	2.5431	0	0.2	0	0
48	92	B	1.599	10.5492	0.3	0.3	0	2
49	93	B	0	23.8394	0	0.2	0	128
50	100	B	0.7786	79.5056	0.3	0.2	0	128
51	102	B	0	1.8032	0	0.3	0	64
52	103	B	0	31.6383	0	0.3	habis	32
53	104	B	0	75.1833	0	0.3	0	64
54	106	B	0	71.3921	0	0.3	0	128
55	110	B	1.5126	39.0766	0.3	0.3	0	64
56	111	B	0.4786	28.0191	0.3	0.3	0	128
57	112	B	1.9797	42.1202	0.3	0.3	0	256
58	114	B	0	10.5157	0	0.3	0	16
59	115	B	0	2.533	0	0.3	0	32
60	116	B	1.7569	2.8441	0.3	0.3	0	8
61	117	B	0	14.6594	0	0.2	0	256
62	118	B	0	1.1259	0	0.3	0	habis
63	119	B	1.3625	1.1393	0.3	0.3	0	2
64	120	B	1.0339	36.3168	0.3	0.2	0	32
65	122	B	0	31.8502	0	0.2	0	256
66	123	B	0	27.5974	0	0.2	0	64
67	130	B	0	11.8266	0	0.15	0	256
68	135	B	0	20.9906	0	0.3	0	4

69	140	B	0	167.1957	0	0.2	0	128
70	141	B	1.8916	19.1271	0.3	0.2	0	512
71	142	B	0	69.2349	0	0.2	0	512
72	143	B	0	25.384	0	0.3	0	16
73	147	B	1.8879	8.7699	0.3	0.3	0	16
74	149	B	0	157.1281	0	0.3	0	128
75	150	B	0	9.556	0	0.2	0	16
76	153	B	0	38.1803	0	0.15	0	256
77	154	B	0.3769	DO	0	DO	DO	DO
78	156	B	4.3473	7.1519	0.4	0.2	0	128
79	158	B	0.7785	24.3158	0.3	0.2	0	128
80	159	B	0	55.1787	0	0.2	0	128
81	161	B	0	3.2868	0	0.2	0	128
82	162	B	0	33.0341	0	0.2	0	32
83	166	B	0	2.6442	0	0.15	0	128
84	167	B	0.5075	14.2724	0.3	0.15	0	32
85	169	B	3.0862	1.2389	0.2	0.15	0	32
86	172	B	0	2.9867	0	0.2	0	64
87	174	B	0	8.1561	0	0.2	0	32
88	175	B	0	109.2614	0	0.2	0	128
89	178	B	0	27.3481	0	0.2	0	128
90	180	B	0	0	0	0	0	0
91	181	B	1.3487	59.8964	0.2	0.15	0	32
92	183	B	0	55.7525	0	0.3	0	32
93	184	B	0	16.1819	0	0.3	0	2
94	185	B	0	16.8475	0	0.2	0	64
95	186	B	0	0.8435	0	0.2	0	64
96	190	B	0	0.9267	0	0.2	0	32
97	191	B	0	4.0611	0	0.2	0	8
98	198	B	0	56.84	0	0.3	0	64
99	199	B	3.6987	1.6938	0.4	0.4	4	2
100	200	B	0.723	7.9679	0.2	0.2	0	256
101	201	B	0.6948	16.4575	0.2	0.2	0	256
102	203	B	0	27.3354	0	0.3	0	32
103	204	B	0	14.6747	0	0.2	0	16
104	205	B	0	DO	0	DO	0	DO
105	206	B	0	68.0805	0	0.2	0	64
106	210	B	0.7992	14.4026	0.2	0.2	0	16

107	211	B	0	100.8024	0	0.3	0	64
108	218	B	0	10.8649	0	0.4	0	64
109	219	B	0	7.2031	0	0.3	0	2
110	220	B	0	3.9737	0	0.3	0	4